



**Stampede Oil Sands,
Inc.**

Auction Buyers Guide

11197 Morgantown Rd.
Russellville, KY 42276

Auction Theater

Logan County Extension Building
255 John Paul Avenue
Russellville, KY 42276

Auction

Tuesday, April 4, 2017
10:00am CDT

Inspection

Monday, April 3, 2017
9:00am CDT – 4:00pm CDT

LIVE & ONLINE

IMPORTANT INFORMATION

BUYER'S PREMIUM: Onsite buyers will be charged 15% buyer's premium. Online buyers will be charged 18% buyer's premium.

PAYMENT INFORMATION: Everything is being sold for cash on an "AS IS", "WHERE IS" basis without warranties expressed or implied. All payments must be made by **wire transfer, cash, cashier's checks, or company checks. Company checks are only acceptable if accompanied by a bank letter of guarantee.**

ALL INVOICES MUST BE PAID IN FULL AT THE SALES CONCLUSION. Any merchandise not paid for by this time will be considered abandoned and may be resold by the auctioneer, any loss incurred in the resale to be borne by the original buyer.

SALES TAX: All sales subject to state and local sales tax where applicable, 6% for Stampede Oil Sands, Inc. If tax exempt, buyer will be required to complete the tax exempt form for the state that the auction is being held.

REMOVAL: All items must be removed by **Wednesday, April 19, 2017** by 4:00PM CST at which time our representative will leave the premises. All items remaining after this time **WILL BE** considered abandoned.

CHECKOUT/REMOVAL HOURS: **Wednesday, April 5, 2017 – Wednesday, April 19, 2017** from 8:00AM – 4:00PM CDT **M-F** with paid in full invoice

NO MERCHANDISE MAY BE REMOVED WHILE THE SALE IS IN PROGRESS! ALL BIDDERS MUST COMPLY WITH OUR CUSTOMARY "TERMS OF SALE" COPIES, WHICH ARE ATTACHED TO THIS CATALOG, AS WELL AS THROUGHOUT THE PREMISES.

PPL GROUP LLC
105 Revere Drive, Suite C
Northbrook, IL 60062
224-927-5320
www.pplgroupllc.com • www.pplauction.com

PPL AUCTION – General Terms of Sale

NOTICE: ALL BIDDERS AND OTHER PERSONS ATTENDING AUCTION SALES AGREE THAT THEY HAVE READ AND HAVE FULL KNOWLEDGE OF THESE TERMS AND AGREE TO BE BOUND THEREBY.

- 1. REGISTRATION:** TO PARTICIPATE AT A **LIVE AUCTION**, ARRIVE AT THE AUCTION SITE EARLY. A REGISTRATION TABLE WILL BE SETUP WHERE YOU WILL OBTAIN YOUR BIDDER PADDLE. IF YOU ARE UNABLE TO ATTEND THE LIVE AUCTION AND WOULD STILL LIKE TO PARTICIPATE, LOGIN TO WWW.BIDSPOTTER.COM AND SEARCH FOR THE AUCTION YOU WISH TO PARTICIPATE IN (CONTROL + F). ONCE YOU LOCATE THE AUCTION, CLICK THE “SIGN UP” BUTTON. IF YOU HAVE REGISTERED WITH BIDSPOTTER IN THE PAST, ENTER YOUR USERNAME AND PASSWORD. IF YOU HAVE NEVER USED BIDSPOTTER, CLICK ON THE ‘REGISTER’ BUTTON. ENTER THE REQUIRED CONTACT INFORMATION AND SELECT A USERNAME AND PASSWORD AND SUBMIT FORM. YOU WILL RECEIVE AN EMAIL CONFIRMATION OF YOUR REGISTRATION FOR THE AUCTION WITH YOUR BIDDER PADDLE NUMBER. YOU WILL ALSO RECEIVE AN APPROVAL EMAIL FROM THE AUCTION HOUSE ONCE APPROVED. ON THE DATE OF THE AUCTION, LOGIN TO BIDSPOTTER WITH YOUR USERNAME AND PASSWORD. YOU WILL BE ABLE TO VIEW A PHOTO OF EACH LOT WHILE LISTENING TO THE LIVE AUDIO (IF AVAILABLE). BIDDERS ARE RECOMMENDED TO REGISTER 48 HOURS PRIOR TO THE SALE TO AVOID ANY ISSUES THAT MAY OCCUR.
- 2. IDENTIFICATION:** ALL PURCHASERS ARE REQUIRED TO PROVIDE A GOVERNMENT ISSUED ID AND SHALL ALSO GIVE THEIR FULL NAME AND ADDRESS, AS WELL AS ANY AND ALL COMPANY INFORMATION WHEN PRESENT AT OUR AUCTION SITE IN ORDER TO REGISTER.
- 3. PAYMENT:** INVOICES MUST BE PAID IN FULL AFTER SALE UNLESS OTHERWISE SPECIFIED. A BUYER'S PREMIUM OF 18% FOR ON-LINE BIDDERS WILL BE APPLIED TO YOUR INVOICE IN ADDITION TO THE SALES PRICE. THE BUYERS PREMIUM MAY CHANGE WITH EACH INDIVIDUAL AUCTION. ALWAYS REFER TO THE INDIVIDUAL TERMS WITH EACH OF OUR AUCTIONS. BUSINESS AND PERSONAL CHECKS WILL NOT BE ACCEPTED WITHOUT A LETTER OF GUARANTEE FROM YOUR BANK. NO MERCHANDISE WILL BE RELEASED UNTIL INVOICE IS FULLY PAID.
- 4. TAXES:** PRICES MAY NOT INCLUDE ANY FEDERAL, STATE, OR LOCAL TAXES, WHICH ARE IN ADDITION TO THE PURCHASE PRICE AND MUST BE PAID BY PURCHASER. MACHINERY AND EQUIPMENT USED IN THE MANUFACTURING OR ASSEMBLY OF TANGIBLE PERSONAL PROPERTY FOR WHOLESALE OR RETAIL SALE ARE EXEMPT FROM TAX IN THE STATE OF ILLINOIS. OTHERWISE PURCHASER MUST FURNISH A TAX EXEMPTION CERTIFICATE, ANY SALES, USE, EXCISE, OR OTHER SIMILAR TAX, WHERE APPLICABLE, SHALL ALSO BE THE RESPONSIBILITY OF PURCHASER AND MAY, AT THE ELECTION OF PPL, BE ADDED TO THE QUOTED PURCHASE PRICE AND INVOICED BY PPL TO PURCHASER. THE FAILURE OF PPL TO INVOICE SUCH TAXES DOES NOT EXCUSE THE PURCHASER FROM RESPONSIBILITY FOR PAYING SAME. WHEN A SALE IS IN A STATE OTHER THAN THE STATE OF ILLINOIS, THERE WILL BE SPECIFIC INFORMATION RELATIVE TO THE SALES TAX RATES AND ANY EXEMPTION TO THE SPECIFIC AUCTION SALE AND WILL BE POSTED WITH EACH INDIVIDUAL AUCTION SALE ON OUR WEB SITE.
- 5. REMOVAL:** EACH AUCTION WILL HAVE SPECIFIC INFORMATION RELATIVE TO THE TIMES OF REMOVAL. ALL ITEMS MUST BE OFF THE PREMISES BY A SPECIFIC TIME AND DATE. ALL ITEMS REMAINING AFTER THE SPECIFIED TIME WILL BE CONSIDERED ABANDONED.
- 6. LIABILITY:** PURCHASES MAY BE REMOVED ONLY ON PRESENTATION OF PAID BILL. REMOVAL SHALL BE AT THE EXPENSE, RISK AND LIABILITY OF THE PURCHASER. AUCTIONEER SHALL NOT BE RESPONSIBLE FOR GOODS NOT REMOVED WITHIN THE TIME ALLOWED, BUT SHALL HAVE THE OPTION TO REMOVE AND STORE AT THE EXPENSE AND RISK OF THE PURCHASER ANY ARTICLE PURCHASED, BUT NOT PAID FOR AND REMOVED WITHIN THE TIME AFORESAID. A CERTIFICATE OF INSURANCE IS REQUIRED FOR ALL RIGGERS AND SHOULD BE PRESENTED TO PPL GROUP LLC AT THE AUCTION SITE. IF YOU INTEND TO DO YOUR OWN RIGGING AND USE A POWERED VEHICLE IN THE PROCESS, YOU MUST HAVE A CERTIFICATE OF INSURANCE. CONTACT PPL GROUP LLC FOR INSURANCE REQUIREMENTS FOR SPECIFIC AUCTION. IF YOU CAN MOVE YOUR PURCHASES BY HAND OR WITH A NON-POWERED ITEM, SUCH AS A CART, YOU DO NOT NEED TO PRESENT US WITH A CERTIFICATE OF INSURANCE. PPL GROUP LLC IS NOT A RIGGING COMPANY AND THEREFORE WILL NOT BE ABLE TO HELP WITH ANY RIGGING.
- 7. MANNER OF PAYMENT:** ALL CHECKS FOR DEPOSIT AND BALANCES DUE SHALL BE PAYABLE TO THE ORDER OF PPL GROUP LLC. ALL BILLS MUST BE PAID TO REPRESENTATIVES OF THE AUCTIONEER AT THE FACILITY UNLESS OTHERWISE ANNOUNCED. THE FULL PURCHASE PRICE ON ALL LOTS SOLD TO THE SAME BUYER MUST BE PAID WITHIN THE TIME FIXED AND BEFORE REMOVAL OF ANY OF THE GOODS.

- 8. ISSUANCE OF TITLE:** TITLES RELATIVE TO TITLED ASSETS PURCHASED WILL BE MAILED TO THE PURCHASER'S ADDRESS ON FILE AFTER PAYMENT HAS BEEN RECEIVED AND CLEARED.
- 9. CONDITION OF ARTICLES SOLD:** NEITHER THE AUCTIONEER NOR THE SELLER SHALL BE RESPONSIBLE FOR THE CORRECT DESCRIPTION, GENUINENESS, AUTHENTICITY OF, OR DEFECT IN ANY LOT, AND MAKES NO WARRANTY IN CONNECTION THEREWITH. NO SALE SHALL BE SET ASIDE NOR ALLOWANCE MADE ON ACCOUNT OF ANY INCORRECTNESS, ERROR IN CATALOGING, OR ANY IMPERFECTION NOT NOTED. NO DEDUCTION ALLOWED ON DAMAGED ARTICLES, ALL ARTICLES BEING EXPOSED FOR PUBLIC EXHIBITION, AND SOLD "AS IS" AND WITHOUT RECOURSE. ARTICLES ARE NOT WARRANTED AS MERCHANTABLE OR FIT FOR ANY PARTICULAR PURPOSE, AND NO CLAIM MAY BE MADE BY PURCHASER RELATING TO THE CONDITION OR USE OF ARTICLES PURCHASED OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES ARISING THEREFROM.
- 10. SAFETY DEVICES:** ARTICLES PURCHASED MAY NOT INCORPORATE APPROVED ACTIVATING MECHANISMS, OPERATING SAFETY DEVICES OR SAFETY GUARDS, AS REQUIRED BY OSHA OR OTHERWISE. IT IS PURCHASER'S RESPONSIBILITY THAT ARTICLES PURCHASED BE SO EQUIPPED AND SAFEGUARDED TO MEET OSHA AND ANY OTHER REQUIREMENTS BEFORE PLACING SUCH ARTICLES INTO OPERATION.
- 11. INDEMNIFICATION:** PURCHASER SHALL DEFEND AND INDEMNIFY AND HOLD AUCTIONEER AND SELLER HARMLESS FROM AND AGAINST ALL CLAIMS AND LIABILITIES RELATING TO THE CONDITION OF, REMOVAL OF, OR USE OF THE ARTICLES PURCHASED OR FAILURE OF USER TO FOLLOW INSTRUCTIONS, WARNINGS OR RECOMMENDATIONS OF THE MANUFACTURER, OR TO COMPLY WITH FEDERAL, STATE, AND LOCAL LAWS APPLICABLE TO SUCH ARTICLES, INCLUDING OSHA REQUIREMENTS, AND ENVIRONMENTAL PROTECTION AGENCY REQUIREMENTS, OR FOR PROXIMATE OR CONSEQUENTIAL DAMAGES, COSTS OR LEGAL EXPENSES ARISING THEREFROM.
- 12. CLAIMS:** NO CLAIMS WILL BE ALLOWED AFTER REMOVAL OF GOODS FROM PREMISES OR LEFT ON PREMISES PAST ALLOWED TIME LIMIT.
- 13. RESPONSIBILITY FOR NON-DELIVERY:** NEITHER THE AUCTIONEER NOR THE SELLER, IN ANY EVENT, SHALL BE LIABLE FOR NON-DELIVERY OR FOR ANY OTHER MATTER OR THING, TO ANY PURCHASER OF ANY LOT, OTHER THAN FOR THE RETURN TO THE PURCHASER OF THE DEPOSIT OR SUM PAID ON SAID LOT, SHOULD THE PURCHASER BE ENTITLED THERETO.
- 14. COMPLIANCE WITH TERMS OF SALE:** IN DEFAULT OF PAYMENT OF BILLS IN FULL WITHIN THE TIME THEREIN SPECIFIED, THE AUCTIONEER IN ADDITION TO ALL OTHER REMEDIES ALLOWED BY LAW MAY RETAIN ALL MONIES RECEIVED AS DEPOSIT OR OTHERWISE, AS LIQUIDATED DAMAGES. LOTS NOT PAID FOR AND REMOVED WITHIN THE TIME ALLOWED HEREIN MAY BE RESOLD AT PUBLIC OR PRIVATE SALE WITHOUT FURTHER NOTICE, AND ANY DEFICIENCY, TOGETHER WITH ALL EXPENSES AND CHARGES OF RESALE INCLUDING LEGAL FEES, WILL BE CHARGED TO THE DEFAULTING PURCHASER.
- 15. RISK TO PERSON AND PROPERTY:** PERSONS ATTENDING DURING EXHIBITION, SALE OR REMOVAL OF GOODS ASSUME ALL RISKS OF DAMAGE OF OR LOSS TO PERSON AND PROPERTY AND SPECIFICALLY RELEASE THE AUCTIONEER AND SELLER FROM LIABILITY THEREFORE. NEITHER THE AUCTIONEER NOR HIS PRINCIPAL SHALL BE LIABLE BY REASON OF ANY DEFECT IN OR CONDITION OF THE PREMISES ON WHICH THE SALE IS HELD.
- 16. ADDITION TO OR WITHDRAWAL FROM SALE:** THE AUCTIONEER RESERVES THE RIGHT TO WITHDRAW FROM SALE ANY OF THE PROPERTY LISTED OR TO SELL AT THIS SALE PROPERTY NOT LISTED, AND ALSO RESERVES THE RIGHT TO GROUP ONE OR MORE LOTS INTO ONE OR MORE SELLING LOTS OR TO SUBDIVIDE INTO TWO OR MORE SELLING LOTS. WHENEVER THE BEST INTEREST OF THE SELLER WILL BE SERVED, THE AUCTIONEER RESERVES THE RIGHT TO SELL ALL THE PROPERTY LISTED, IN BULK.
- 17. SALE BY ESTIMATED WEIGHT, COUNT OR MEASURE:** WHEN ITEMS ARE SOLD BY ESTIMATED WEIGHT, COUNT OR MEASURE, THE PURCHASER WILL BE BILLED FOR AND REQUIRED TO PAY FOR THE ESTIMATED WEIGHT, COUNT OR MEASURE. IF, UPON DELIVERY, ANY SHORTAGE EXISTS, THE PURCHASER WILL RECEIVE A REFUND AT THE RATE OF PURCHASE. IF THERE BE AN EXCESS, THE PURCHASER WILL BE REQUIRED TO TAKE AND PAY FOR SUCH EXCESS, AT THE RATE OF PURCHASE. (SEE PARAGRAPH 4 FOR TIME AND GUARANTEE LIMITATION.)
- 18. DISPUTE BETWEEN BIDDERS:** IF ANY DISPUTE ARISES BETWEEN TWO OR MORE BIDDERS, THE AUCTIONEER MAY DECIDE THE SAME OR PUT THE LOT UP FOR SALE AGAIN AT ONCE, AND RESELL TO THE HIGHEST BIDDER. THE AUCTIONEER'S DECISION SHALL BE FINAL AND ABSOLUTE.

19. **RESERVE:** THE AUCTIONEER RESERVES THE RIGHT TO REJECT ANY AND ALL BIDS. ON LOTS UPON WHICH THERE IS A RESERVE, THE AUCTIONEER OR HIS ASSIGNED AGENTS, SHALL HAVE THE RIGHT TO BID ON BEHALF OF THE SELLER.

20. **RECORDS:** THE RECORD OF SALE KEPT BY THE AUCTIONEER AND BOOKKEEPER WILL BE TAKEN AS FINAL IN THE EVENT OF ANY DISPUTE.

21. **INDEPENDENT CONTRACTOR:** THE AUCTIONEER IS ACTING AS AN INDEPENDENT CONTRACTOR ONLY AND IS NOT RESPONSIBLE FOR THE ACTS OF ITS PRINCIPALS OR SELLERS.

22. **ADDITIONAL TERMS AND CONDITIONS:** THE AUCTIONEER MAY ADD OTHER TERMS AND CONDITIONS OF SALE, SUCH ADDITIONAL TERMS AND CONDITIONS TO BE ANNOUNCED PRIOR TO THE AUCTION AND ALSO POSTED WITH THE SPECIFIC AUCTION.

This catalogue on the following pages is meant merely as a guide. The auctioneer does not warrant the genuineness, accuracy or count of any items described herein.

Lot Number	Description
1	LOT: Approx. (6) Assorted Pipe Wrenches
2	LOT: (3) Assorted Aluminum Pipe Wrenches
3	LOT: Bolt Cutters & Greenlee Crimper
4	LOT: Assorted Combo Wrenches, Sockets, Ratchets, Extensions, Impact Sockets
5	LOT: Snap-On Adjustable Pliers & Assorted Channel Lock Tools
6	LOT: Assorted Hammers & Mallets, Squares, Levels, Pry Bars & Jack
7	Snap-On 18 Volt Cordless Drill
8	Snap-On 18 Volt Cordless Drill
9	Snap-On 18 Volt Cordless Drill
10	LOT: Large Right Angle Grinder with (2) Small Angle Grinders, Wheels & Accessories
11	LOT: Dewalt Reciprocating Saw, 7-1/4 in. Circular Saw & (2) Cordless Drills
12	LOT: Ingersoll Rand 3/4 in. Pneumatic Impact Wrench, (2) Right Angle Die Grinders
13	LOT: Dewalt Roto Hammer with Bits
14	Chicago Electric Roto Hammer
15	Milwaukee Portable Band Saw
16	LOT: Testo Refrigerant Leak Tester Model 570 & (2) PH Testers
17	CDI Snap-On 600 ft. lb. Torque Wrench
18	LOT: Husqvarna Weed Eater & Shop Vac
19	LOT: 1.5 Ton Lever Hoist & (2) 2 Ton Chain Hoists
20	LOT: Tie Down Straps with Ratchets
21	Rolling Craftsman Upper/Lower Tool Box
22	Rolling Craftsman Upper/Lower Tool Box
23	LOT: (3) Assorted Tool Boxes
24	Knaack Model 89 Tool Box
25	Ridgid Model 3068-OS Job Box
26	Ridgid Model 2048-OS Job Box
27	Justrite 60 Gallon Flammable Liquid Storage Cabinet

28	Eagle 30 Gallon Flammable Liquid Storage Cabinet
29	LOT: (1) 8 ft. & (1) 6 ft. Fiberglass A-Frame Ladders
30	Wilton 6 in. Jaw Mechanics Vise
31	1 Ton Shop Hoist
32	Pallet Jack
33	Husky 3.2 HP Air Compressor Model VT631403AJ, S/N L5/17/08-00297, Rated 10.3 CFM at 90 PSI, includes 60 Gallon Vertical Tank (#084)
34	LOT: Eductors & Venturis on (2) Pallets
35	LOT: Diaphragm Pump with Suction & Discharge Hose
36	LOT: Pelco Surveillance Cameras (no monitor) - (3) Explosion Proof Cameras & (3) Outdoor Cameras
37	LOT: Explosion Proof Emergency Lighting System in (3) Boxes
38	Drum Fan
39	Drum Fan
40	Drum Fan
41	208cc Gas Powered Trash Pump
42	LOT: (3) Diaphragm Pumps
43	Alligator Conveyor Belt Splicing Tool
44	58 in. x 78 in. Steel Fabrication Table with Wilton Vise & Ridgid Pipe Vise
45	Linishall BG10 10 in. Double End Bench Top Grinder
46	LOT: Contents of (3) Sections of Wood Shelves including Elastec Skimmer, Assorted Pneumatic Gate Valves & Parts, Clamps, Gaskets, Containment Booms & Hose Couplers
47	LOT: (10) 6 in. Manual Butterfly Valves
48	LOT: (10) 6 in. Manual Butterfly Valves
49	LOT: (10) Manual Butterfly Valves, 6 in. & 2 in.
50	LOT: (10) 8 in. Manual Butterfly Valves
51	LOT: (10) 8 in. Manual Butterfly Valves
52	LOT: (12) 4 in. Manual Butterfly Valves
53	LOT: Contents of (1) Shelf including Assorted Pneumatic & Electric Gate Valves
54	LOT: Approx. (8) Rotork Gate & Ball Valves
55	LOT: (20) Flowtek 1 in. Ball Valves

56	LOT: (15) Flowtek 1 in. Ball Valves
57	LOT: (15) Flowtek 1 in. Ball Valves
58	LOT: Approx. (30) Flowtek & Fortune Ball Valves
59	LOT: Assorted Flanges, Nipples, Couplers & Fabricated Pipe Sections with Flanges on (8) Pallets
60	LOT: (3) 10 ft. A-Frame Ladders, (1) 8 ft. A-Frame Ladder, Wheelbarrow with Contents, Pedestal Fan & Misc.
61	Delco Cleaning Systems Cobalt Super Skid Gas Powered Heated Pressure Washer, Part #60311-C, S/N 06100393, Rated 5.5 Gallons per Minute at 3600 PSI, Frame Mounted (#085)
62	Yamakoyo TPW4000 Gas Powered Pressure Washer with Honda Motor
63	LOT: Ridgid 300 Power Threader with Attachments
64	Ridgid Tri-Stand
65	Thermal Dynamics Cutmaster 102 Plasma Cutter
66	Thermal Dynamics Cutmaster 52 Plasma Cutter (no wand)
67	Miller Suitcase Welder Model 12RC
68	LOT: Torch Cart with Hose, Gauges, Torch
69	LOT: Torch Cart with Gauges, Torch & Accessories
70	LOT: (3) Parts Bins with Contents of Fasteners, Nipples, Valves, Couplers (in compressor room)
71	LOT: (2) Steel Shelving Units with Contents of Welding Supplies, Electrodes, Pump Parts, etc.
72	General Machinery 20 Gallon Parts Washer
73	Ronaco Metal Building, 128 in. Wide x 138 in. Long x 104 in. Tall (est.) with Slanted Roof, (1) Entry Door, (1) Window (#041) (contents not included)
74	LOT: Contents of Building including Electrical Panels & Supplies, Flow Meters, Tank Gauges, etc.
75	Bard Manufacturing Wall Mount AC Unit, S/N 309K133052964-02 (#042)
76	Titan Air Incorporated Air Make Up Unit Model TAH-115 BI EL OA VRH, S/N 14798, Rated 4250 CFM, 3/60/480 Volts, with Indeeco Electric Duct Heater Type QUA (#038)
77	Titan Air Incorporated Air Make Up Unit Model TAH-115 BI EL OA VRH, S/N 14799, Rated 4250 CFM, 3/60/480 Volts, with Indeeco Electric Duct Heater Type QUA (#039)
78	Sullair 40 HP S-Energy 3000 Air Cooled Rotary Air Compressor Model 3009AC, S/N 201307190022 (2013), Rated 125 PSI, 167 CFM, includes WS Controller & Sound Enclosure (#086)
79	Sullair 40 HP S-Energy 3000 Air Cooled Rotary Air Compressor Model 3009AC, S/N 201307130007 (2013), Rated 125 PSI, 167 CFM, includes WS Controller & Sound Enclosure (#087)
80	SPX Hankison Pressure Swing Regenerative Desiccant Compressed Air Dryer Model HHE-165, S/N 1000002857947, Rated 165 SCFM at 100 PSIG, 120F Max. Operating Temperature (#088)
81	SPX Hankison Pressure Swing Regenerative Desiccant Compressed Air Dryer Model HHE-165, S/N 1000002857946, Rated 165 SCFM at 100 PSIG, 120F Max. Operating Temperature (#089)
82	Silvan Industries 400 Gallon (est.) Carbon Steel Vertical Air Receiving Tank, S/N 747661 (2013), Internal Rated 150 PSI at -20F to 450F (#090)
83	Silvan Industries 400 Gallon (est.) Carbon Steel Vertical Air Receiving Tank, S/N 747666 (2013), Internal Rated 150 PSI at -20F to 450F (#091)

84	Electrical Panel Box
85	LOT: Oil & Sand Settling Filter System - Combined Lots 86 through 96
86	O-Drill MCM 250 Series Centrifugal Pump, S/N 40155 (2015), Stainless Steel, 5 in. x 6 in. x 14 in. Pump Size, 13 in. RH Impeller Diameter, 75 HP, 3/60/230/460 Volt, 1780 RPM XP Motor, Base Mounted (#060A)
87	O-Drill MCM 250 Series Centrifugal Pump, S/N 40174 (2015), Stainless Steel, 5 in. x 6 in. x 14 in. Pump Size, 14 in. RH Impeller Diameter, 75 HP, 3/60/230/460 Volt, 1780 RPM XP Motor, Base Mounted (#060B)
88	Toyo DEH Series Slurry Pump Model DEH-61-100-PF3-HC-D, S/N D-30451 (2013), Carbon Steel, 312 Gallons per Minute at 1211 RPM at 39.8 ft. Head, 9.3 in. Impeller Diameter, 3.74 in. Max. Solid Size, 4 in. Discharge, 10 HP, 3/60/208-230/460 Volt, 1175 RPM XP Motor, Base Mounted (#060C)
89	O-Drill MCM 250 Series Centrifugal Pump, S/N 39997 (2015), Stainless Steel, 5 in. x 6 in. x 14 in. Pump Size, 14 in. RH Impeller Diameter, 75 HP, 3/60/230/460 Volt, 1780 RPM XP Motor, Base Mounted (#060D)
90	LOT: Skid Mounted System with (1) Carbon Steel Feed Tank, (4) Settling Tanks (#060E)
91	Derrick Inline Desilter Standalone Model S-410-S, P/L #17489-00, with (10) 4 in. Hydrocyclones, Feed & Discharge Manifolds, Hopper & Frame, 500 Gallons per Minute Nominal Flow Rate (#060F)
92	Derrick Hyperpool Shaker Model 4 Panel, S/N 18580-02-1076, Carbon Steel, with Feed Box, (2) Vibratory Motors & XP Panel (#060G)
93	Derrick Hyperpool Shaker Model 4 Panel, S/N 18580-02-1075, Carbon Steel, with Feed Box, (2) Vibratory Motors & XP Panel (#060H)
94	Derrick Hyperpool Shaker Model 4 Panel, S/N 18580-02-1077, Carbon Steel, with Feed Box, (2) Vibratory Motors & XP Panel (#060I)
95	Derrick Hyperpool Shaker Model 4 Panel, S/N 18580-02-1074, Carbon Steel, with Feed Box, (2) Vibratory Motors & XP Panel (#060J)
96	New Derrick Hyperpool Shaker Screens (#060K)
97	36 in. Wide x 40 ft. Long (est.) Rubber Belt Conveyor, with Motor & Reducer, Mounted on Frame (#061)
98	36 in. Wide x 40 ft. Long (est.) Rubber Belt Conveyor, with Motor & Reducer, Mounted on Frame (#062)
99	36 in. Wide x 60 ft. Long (est.) Inclined Stacker Rubber Belt Conveyor, with Feed Hopper, Removable Belt Hoods, Motor & Reducer, Mounted on Frame (#063)
100	Pentair Fire Pump System consisting of: (1) Aurora UL Listed Split Case Centrifugal Fire Pump Type 481 BF, Size 5-481-15, S/N 13-2362918, Rated 1000 gallons per Minute at 1770 RPM at 116 Head, 40 HP, 3/60/230/460 Volt, 1775 RPM Motor (1) Grundfos CR3 Pump, S/N 0172 (1) Main Control Valve (1) Check Valve (1) Joslyn Clark Electric Fire Pump Controller, Catalog #G3C164-53R, S/N 354839 (1) Torna Tech Jockey Pump Controller Model JP3-460/1/2/60, S/N Z 110703 (2013) (6) Honeywell Notifiers (#064)
101	Zeeco Enclosed Ground Flare System consisting of: (1) Model EGF-48-25 Flare Stack, S.O. #22433-001 (2013) (1) 2x4 Knockout Drum, S.O. #22433 (2013) (1) Vaneaxial Fan (2) Centrifugal Blowers and Panel (#017)
102	LOT: Partial Contents of Conex Box including Demag 30 KVA Transformer, Breaker Box, PLC Box with Allen Bradley Panelview Plus 700 & Rockwell Automation Electrical Control Box with Allen Bradley Control
103	Shanghai Baoshan Pacific 20 ft. Container Type XP-STDT-04, S/N 14SB215915 (2014), includes Bard Manufacturing Wall Mount AC Unit (S/N 316B153209319-02) (#043) (contents not included - delay removal until contents removed)
104	Shanghai Baoshan Pacific 20 ft. Container Type XP-STDT-04, S/N 14SB216005 (2014), includes Bard Manufacturing Wall Mount AC Unit (S/N 316D153223444-02) (#044) (contents not included - delay removal until contents removed)
105	LOT: Contents of Conex Box including Large Quantity Electrical Wire on Reels with Electrical Boxes & (5) Pipe Stands
106	LOT: Crushing & Grinding Line - Combined Lots 107 through 122
107	LOT: Nordberg Impact Crushing Plant Model NW1213CC, S/N 2052-2711 (1999) consisting of: (1) Infeed Hopper with Model 45X16 VGF Bottom Vibratory Grizzly Feeder, S/N 4516-OF95-5187 (1) Metso NP Series Impact Crusher Model NP1213, S/N 12348, 52 Wide x 34.6 Tall (est.) Feed Opening, 29.5 Throat, 23.6 Max. Feed Size, 47.2 Rotor Diameter, (4) Hammers, Driven by 300 HP, 3/460 Volt, 1785 RPM Motor (1) Bottom Rubber Belt Inclined Discharge Conveyor (1) Dings Magnet Model 55CPILSC-SFL, S/N 981082, with Rectifier Panel Model 8KLS4611-4, Part #116390-1298 (1) Vibratory Screener 56 Wide x 60 Long (est.) (1) Fines Inclined Discharge Conveyor (2) Overs conveyors (1) Overs Inclined Impact Mill Feed Conveyor with Panels, Mounted on Common Frame (#001)
108	36 in. Wide x 60 ft. Long (est.) Inclined Stacker Rubber Belt Conveyor, with Feed Hopper, Removable Belt Hoods, Motor & Reducer, Mounted on Frame with Tires (#002)

109	ISC Impact Service Corporation VSI Vertical Shaft Impact Crusher Model 77-VSI, S/N 77-162, 4 in. Max. Feed Size, 3.7 lb. Max. Particle Weight, 400 Standard Tons per Hour Total Throughput, Top Feed, Bottom Discharge, 300 HP, 3/460 Volt, 1190 RPM Motor, with Panel (#003)
110	36 in. Wide x 60 ft. Long (est.) Inclined Stacker Rubber Belt Conveyor, with Feed Hopper, Removable Belt Hoods, Motor & Reducer, Mounted on Frame with Tires (#004)
111	Cedarapids Multiple Deck Horizontal Screen Model FSG 6203-32, S/N 46059, 72 in. Wide x 20 ft. Long (est.), Overs Discharge with Chute, Bottom Fines Belt Conveyor, 40 HP, 3/460 Volt, 1180 RPM Motor, with Panel (#005)
112	30 in. Wide x 60 ft. Long (est.) Inclined Stacker Rubber Belt Conveyor, with Feed Hopper, Removable Belt Hoods, Motor & Reducer, Mounted on Frame with Tires (#006)
113	28 in. Wide x 20 ft. Long (est.) Inclined Surge Pile Rubber Belt Conveyor, with Feed Hopper, Motor & Reducer, Mounted on Frame (#007)
114	28 in. Wide x 80 ft. Long (est.) Inclined Stacker Rubber Belt Conveyor, with Feed Hopper, Removable Belt Hoods, Motor & Reducer, Mounted on Frame with Tires (#008)
115	Hopper, 1400 cu. ft. (est.), Carbon Steel, 12 ft. Wide x 12 ft. Long x 10 ft. Straight Side (est.), Coned Bottom with Discharge & Hydraulic Slide Valve, Mounted on Legs (#009)
116	Hopper, 1400 cu. ft. (est.), Carbon Steel, 12 ft. Wide x 12 ft. Long x 10 ft. Straight Side (est.), Coned Bottom with Discharge & Hydraulic Slide Valve, Mounted on Legs (#010)
117	14 in. Diameter x 12 ft. Long (est.) Screw Conveyor, Carbon Steel, with Motor & Reducer (#011)
118	LOT: Screw Conveyor Parts, Carbon Steel, with Trough Section, Motor & Reducer, End Plate & Screw (#012) (located by crushing plant tires)
119	36 in. Wide x 18 ft. Long (est.) Inclined Rubber Belt Conveyor, with Motor & Reducer, Mounted on Frame (#013)
120	36 in. Wide x 15 ft. Long (est.) Inclined Rubber Belt Conveyor, with Motor & Reducer, Mounted on Frame (#014)
121	24 in. Wide x 72 ft. Long (est.) Inclined Rubber Belt Conveyor, with Feed Hopper, Removable Belt Hoods, Motor & Reducer, Mounted on Frame, with MCR Technologies Weigh Shark Conveyor Belt Scale (#015)
122	24 in. Wide x 52 ft. Long (est.) Inclined Rubber Belt Conveyor, with Feed Hopper, Removable Belt Hoods, Motor & Reducer, Mounted on Frame, with MCR Technologies Weigh Shark Conveyor Belt Scale (#016)
123	LOT: Generac 230 kw Diesel Generator Set Model SD0230KG178.7D18HPY3, S/N 8382359 (2013), UL Listed, FPT Powertrain Model F2CE9685A-E002 Engine Rated 389 BHP at 1800 RPM (S/N E002-032165), 3/60/277/480V, 400 Amp Main-Line Circuit Breaker, Weather Enclosure, 600 Gallon Generator Base Fuel Tank (Part #J1854, S/N 152072), (2) Batteries, 152.3 Hours, includes Generac GTS Series 400 Amp Automatic Transfer Switch with Remote Annunciator (#040)
124	Haus Centrifuge Technologies Solid Bowl Decanter Centrifuge Model DDE-5342, S/N 13DK117 (2013), Stainless Steel Construction on Product Contact Areas, 3200 RPM Max. Bowl Speed, Single Lead Conveyor with TC Tiles, Discharge Ports, Dam Plate, Feed Pipe, Base, Casing, Stainless Top Cover, 536mm Bowl Inner Diameter, 55kw Main Drive, 3/60/480 Volt, 3570 RPM, 18.5 kw Back Drive, 3/60/480 Volt, 1182 RPM, Gearbox, Chute, includes Control Panel with Allen Bradley PanelView Plus 1000, and ABB drives (#022)
125	LOT: Mobile Reverse Osmosis System consisting of: (1) Specific Equipment Company Reverse Osmosis System Model 18380, Type SE1080ROAB-1-SPCL, S/N 80672, with (6) Membrane Housing (no membrane filters), (2) Eden Equipment Filters Model 24EFC4-2C150 (S/Ns 08073 & 077723) (1) Chem-Tainer 60 Gallon Poly Tank (1) Grundfos 2 HP Pump Model CRN5 (1) Danfoss Nessie 75 HP Pump Model APP 21/1200, S/N 27794104-190, and Panels, Frame Mounted (1) Pentair Dual Tank Filter with Panel, Frame Mounted (1) Chromalox Heater Model TMI-27-050P-E4XX, with Tank & Panel (2) Holding Tanks (1) Hydraulic Power Pack (1) Main Panel (1) ITT Industries Plate Heat Exchanger, Part No. SY540800009700, S/N 936761-01 (2004) (1) Ingersoll Rand Air Compressor Model 2475N7.5-V, S/N CBV240665 (1) 50 Gallon (est.) Poly Tank (1) Broadcrown 175 KVA Diesel Generator Model BCJD155-6013, S/N EXP55546 (1) 2007 Utility 3000R 53 Tandem-Axle Van Trailer, VIN 1UYVS24868U453203VS2RA (#021)
126	O-Drill MCM 118 Series Centrifugal Pump, S/N 189267 (2015), Carbon Steel, 3 in. x 4in. Pump Size, 6.5 in. Impeller Diameter, 15 HP, 3/60/208-230/460 Volt, 1770 RPM XP Motor, Base Mounted (#045)
127	Division 5 Fabricators 200 Gallon (est.) Square Tank, Carbon Steel (#081)
128	PSI Process Solutions International Max 2000 80 Progressing Cavity Pump Model 61801SX-15N31, Order #20058, S/N 3552, 15 HP, 3/60/208-230/460 Volt, 1770 RPM XP Motor thru a Shimpo Ringcone Mechanical Adjustable Speed Drive, Base Mounted (#046)
129	PSI Process Solutions International Max 2000 80 Progressing Cavity Pump Model 61801SX-15N31, Order #20058, S/N 3553, 15 HP, 3/60/208-230/460 Volt, 1770 RPM XP Motor thru a Shimpo Ringcone Mechanical Adjustable Speed Drive, Base Mounted (#047)
130	Master Pumps & Equipment Mud Master Centrifugal Pump, S/N 7-422738 (2013), Carbon Steel, 40 HP, 3/60/230/460 Volt, 1780 RPM Motor, Base Mounted (#048)
131	Toyo DEH Series Slurry Pump Model DEH-61-50-PF3-HC-D, S/N D-30445 (2013), Carbon Steel, 96 Gallons per Minute at 1329 RPM at 58.7 ft. Head, 9.2 in. Impeller Diameter, 1.77 in. Max. Solid Size, 2 in. Discharge, 5 HP, 3/60/208-230/460 Volt, 1755 RPM XP Motor, Base Mounted (#049)

132	Toyo DEH Series Slurry Pump Model DEH-41-50-PF2-HC-D, S/N D-30443 (2013), Carbon Steel, 82 Gallons per Minute at 1691 RPM at 41 ft. Head, 6.6 in. Impeller Diameter, 1.97 in. Max. Solid Size, 2 in. Discharge, 5 HP, 3/60/208-230/460 Volt, 1755 RPM XP Motor, Base Mounted (#050)
133	Toyo DEH Series Slurry Pump Model DEH-41-50-PF2-HC-D, S/N D-30444 (2013), Carbon Steel, 82 Gallons per Minute at 1691 RPM at 41 ft. Head, 6.6 in. Impeller Diameter, 1.97 in. Max. Solid Size, 2 in. Discharge, 5 HP, 3/60/208-230/460 Volt, 1755 RPM XP Motor, Base Mounted (#051)
134	Toyo DEH Series Slurry Pump Model DEH-41-50-PF2-HC-D, S/N D-30446 (2013), Carbon Steel, 37 Gallons per Minute at 1657 RPM at 39.5 ft. Head, 6.6 in. Impeller Diameter, 1.97 in. Max. Solid Size, 2 in. Discharge, 3 HP, 3/60/208-230/460 Volt, 1760 RPM XP Motor, Base Mounted (#054)
135	Toyo DEH Series Slurry Pump Model DEH-41-50-PF2-HC-D, S/N D-30447 (2013), Carbon Steel, 120 Gallons per Minute at 1005 RPM at 12.7 ft. Head, 6.6 in. Impeller Diameter, 1.97 in. Max. Solid Size, 2 in. Discharge, 2 HP, 3/60/208-230/460 Volt, 1165 RPM XP Motor, Base Mounted (#053)
136	Toyo DEH Series Slurry Pump Model DEH-41-50-PF2-HC-D, S/N D-30452 (2013), Carbon Steel, 90 Gallons per Minute at 1715 RPM at 41.8 ft. Head, 6.6 in. Impeller Diameter, 1.97 in. Max. Solid Size, 2 in. Discharge, 5 HP, 3/60/208-230/460 Volt, 1755 RPM XP Motor, Base Mounted (#052)
137	Toyo DEH Series Slurry Pump Model DEH-61-100-PF3-HC-D, S/N D-30441 (2013), Carbon Steel, 240 Gallons per Minute at 1404 RPM at 54.7 ft. Head, 9.3 in. Impeller Diameter, 3.74 in. Max. Solid Size, 4 in. Discharge, 15 HP, 3/60/208-230/460 Volt, 1770 RPM XP Motor, Base Mounted (#056)
138	O-Drill MCM 250 Series Centrifugal Pump, S/N 36904 (2014), Carbon Steel, 3 in. x 4 in. x 13 in. Pump Size, 13 in. RH Impeller Diameter, 40 HP, 3/60/230/460 Volt, 1780 RPM or 1775 RPM XP Motor, Base Mounted (#058)
139	O-Drill MCM 250 Series Centrifugal Pump, S/N 36723 (2014), Carbon Steel, 3 in. x 4 in. x 13 in. Pump Size, 12 in. RH Impeller Diameter, 40 HP, 3/60/230/460 Volt, 1780 RPM or 1775 RPM XP Motor, Base Mounted (#059)
140	Toyo DEH Series Slurry Pump Model DEH-21-32-PF2-DI-D, S/N D-30441 (2013), Carbon Steel, 20 Gallons per Minute at 3361 RPM at 95.7 ft. Head, 4.68 in. Impeller Diameter, 1.25 in. Max. Solid Size, 1.25 in. Discharge, 10 HP, 3/60/208-230/460 Volt, 3535 RPM XP Motor, Base Mounted (#055)
141	Toyo DEH Series Slurry Pump Model DEH-71-50-PF3-HC-D, S/N D-30453 (2013), Carbon Steel, 180 Gallons per Minute at 1516 RPM at 115.3 ft. Head, 11.1 in. Impeller Diameter, 1.77 in. Max. Solid Size, 2 in. Discharge, 20 HP, 3/60/208-230/460 Volt, 1770 RPM XP Motor, Base Mounted (#057)
142	O-Drill MCM 250 Series Centrifugal Pump - Head Only, S/N 40173 (2015), Carbon Steel, 5 in. x 6 in. x 14 in. Pump Size, 12.5 in. RH Impeller Diameter (#075)
143	O-Drill MCM 250 Series Centrifugal Pump - Head Only, S/N 40080 (2015), Carbon Steel, 5 in. x 6 in. x 14 in. Pump Size, 14 in. RH Impeller Diameter (#074)
144	O-Drill MCM 118 Series Centrifugal Pump - Head Only, S/N 189319 (2015), Carbon Steel, 3 in. x 4 in. Pump Size, 8.5 in. Impeller Diameter (#073)
145	LOT: Impeller Housing & Pump Parts on (2) Pallets
146	Centrifugal Pump Base & 75 HP, 3/60/230/460 Volt, 1780 RPM XP Motor (#077)
147	Toyo DEH Series Slurry Pump Model DEH-81-200-PF4-HC-D, S/N D-30442 (2013), Carbon Steel, 1500 Gallons per Minute at 907 RPM at 32.7 ft. Head, 13.2 in. Impeller Diameter, 6.3 in. Max. Solid Size, 8 in. Discharge, 50 HP, 3/60/230/460 Volt, 1185 RPM XP Motor, Base Mounted (#065)
148	Toyo DEH Series Slurry Pump Model DEH-81-200-PF4-HC-D, S/N D-30449 (2013), Carbon Steel, 1380 Gallons per Minute at 874 RPM at 29.7 ft. Head, 13.2 in. Impeller Diameter, 6.3 in. Max. Solid Size, 8 in. Discharge, 50 HP, 3/60/230/460 Volt, 1185 RPM XP Motor, Base Mounted (#066)
149	Toyo DEH Series Slurry Pump Model DEH-21-32-PF2-DI-D, S/N D-30439 (2013), Carbon Steel, 40 Gallons per Minute at 2332 RPM at 38.2 ft. Head, 4.68 in. Impeller Diameter, 1.26 in. Max. Solid Size, 1.25 in. Discharge, 17.5 HP, 3/60/208-230/460 Volt, 3540 RPM XP Motor, Base Mounted (#068)
150	Toyo DEH Series Slurry Pump Model DEH-21-32-PF2-DI-D, S/N D-30448 (2013), Carbon Steel. 30 Gallons per Minute at 2336 RPM at 41.8 ft. Head, 4.68 in. Impeller Diameter, 1.26 in. Max. Solid Size, 1.25 in. Discharge, 7.5 HP, 3/60/208-230/460 Volt, 3540 RPM XP Motor, Base Mounted (#067)
151	Toyo DEH Series Slurry Pump Model DEH-61-50-PF3-HC-D, S/N D-30454 (2013), Carbon Steel, 232 Gallons per Minute at 1432 RPM at 53.5 ft. Head, 9.3 in. Impeller Diameter, 1.77 in. Max. Solid Size, 2 in. Discharge, 15 HP, 3/60/208-230/460 Volt, 1770 RPM XP Motor, Base Mounted (#069)
152	Tuthill Centrifugal Pump Model GG0901, S/N G22562, Carbon Steel, 15 HP, 3/60/230/460 Volt, 1175 RPM Motor, Base Mounted (#070)
153	O-Drill MCM 250 Series Centrifugal Pump, S/N 38706 (2014), Carbon Steel, 3 in. x 4 in. x 13 in. Pump Size, 12 in. RH Impeller Diameter, 40 HP, 3/60/230/460 Volt, 1780 RPM or 1775 RPM XP Motor, Base Mounted (#071)
154	PSI Process Solutions International Progressing Cavity Pump, Carbon Steel, 10 HP, 3/60/208-230/460 Volt, 1770 RPM XP Motor thru a Shimpo Ringcone Mechanical Adjustable Speed Drive, Base Mounted (#072)
155	Centrifugal Pump Base & 15 HP, 3/60/208-230/460 Volt, 1180 RPM XP Motor (#076)

156	Large Electric Submersible Pump
157	Division 5 Fabricators 200 Gallon (est.) Square Tank, Carbon Steel (#079)
158	Division 5 Fabricators 150 Gallon (est.) Square Tank, Carbon Steel (#080)
159	OPEN LOT
160	LOT: Southern Tank & Manufacturing 2000 Gallon (est.) UL Listed Secondary Containment Above Ground Flammable Liquids Storage Horizontal Tank, S/N A60496963, Frame Mounted with Pump Platform, includes Goulds Model 2AH32-P Gas Powered Pump (#082)
161	Southern Tank & Manufacturing 2000 gallon (est.) UL Listed Secondary Containment Above Ground Flammable Liquids Storage Horizontal Tank, S/N A60496974, Frame Mounted with Pump Platform (#019) (no pump)
162	10,000 Gallon (est.) Carbon Steel Vertical Tank, 126 in. Diameter x 180 in. Straight Side (est.), Coned Top & Bottom, Top Man Way, Center Bottom Outlet, Mounted on Frame with Legs (#023)
163	10,000 Gallon (est.) Carbon Steel Vertical Tank, 126 in. Diameter x 180 in. Straight Side (est.), Coned Top & Bottom, Top Man Way, Center Bottom Outlet, Mounted on Frame with Legs (#024)
164	ITT Standard Shell & Tube Heat Exchanger, S/N 96B10123-01 (1996), Part #5-060-12-126-005, National Board #58963, Carbon Steel, Shell & Tubes Rated 150 PSI at -20 to 350F (#025)
165	43,000 Gallon (est.) Carbon Steel Vertical Make-Up Water Tank, 15 ft. 3 in. Diameter x 32 ft. Straight Side (est.), Flat Bottom, Side Man Way, Bottom Outlet (#026)
166	43,000 Gallon (est.) Carbon Steel Vertical Make-Up Water Tank, 15 ft. 3 in. Diameter x 32 ft. Straight Side (est.), Flat Bottom, Side Man Way, Bottom Outlet (#027)
171	10,000 Gallon (est.) Carbon Steel Vertical Dilbit Separator Tank, 126 in. Diameter x 180 in. Straight Side (est.), Coned Top & Bottom, Bottom Man Way, Center Bottom Outlet, Mounted on Frame with Legs (#032)
172	10,000 Gallon (est.) Carbon Steel Vertical Dilbit Separator Tank, 126 in. Diameter x 180 in. Straight Side (est.), Coned Top & Bottom, Bottom Man Way, Center Bottom Outlet, Mounted on Frame with Legs (#033)
173	10,000 Gallon (est.) Carbon Steel Vertical Dilbit Separator Tank, 126 in. Diameter x 180 in. Straight Side (est.), Coned Top & Bottom, Bottom Man Way, Center Bottom Outlet, Mounted on Frame with Legs (#034)
174	10,000 Gallon (est.) Carbon Steel Vertical Tank, 126 in. Diameter x 180 in. Straight Side (est.), Coned Top & Bottom, Bottom Man Way, Center Bottom Outlet, Mounted on Frame with Legs (#035)
175	6500 Gallon (est.) Carbon Steel Vertical Tank, 120 in. Diameter x 132 in. Straight Side (est.), Flat Top, Coned Bottom, Bottom Man Way, Center Bottom Outlet, Mounted on (3) Legs (#036)
176	Alloy Fabricators 3000 Gallon (est.) Stainless Steel Vertical Tank (1989), 96 in. Diameter x 102 in. Straight Side (est.), Flat Top, Coned Bottom, Bottom Man Way, Center Bottom Outlet, Mounted on (3) Carbon Steel Legs (#037)
177	LOT: Caterpillar Wheel Loader & Crusher Attachment (#018) - Combined Lots 178 & 179
178	Caterpillar Wheel Loader Model 980 FII, PIN 8JN00659 (1995), (no bucket), with Model 3406 Engine, Model 9EX01184 Transmission (approx. 34,000 hours indicated)
179	IronWolf 1040 Heavy Crusher Attachment, S/N 1040K10006202 (2006) (2665 hours indicated), driven by Caterpillar Model C-15 Engine, S/N BEM06196
180	Forklift Man Basket
181	Honeywell NSF-320 Notifier Panel
182	Mobile Office, 8 ft. Wide x 20 ft. Long (est.) (#092) (contents not included)
183	LOT: Contents of Mobile Office including Lab Centrifuge, Supplies, (2) Work Benches
184	Mobile Office, 140 in. Wide x 56 ft. Long (est.), includes Wall Mounted AC Unit, Bathroom with (2) Sinks, (2) Stalls & Urinal, Utility Closet with Water Heater, (1) Water Fountain (#093) (contents not included)
185	LOT: Contents of Mobile Office including Refrigerator, Microwave, Storage Cabinet, (2) Desks, File Cabinets, Chairs (nothing attached to office unit walls)
186	Mobile Office, 140 in. Wide x 56 ft. Long (est.), includes Wall Mounted AC Unit, Bathroom with Toilet & Sink (#094) (contents not included)
187	LOT: Contents of Mobile Office including Desks, Chairs, File Cabinets, Reception Desk, Radios, (3) Printers, (2) Computers, (2) Laptops (nothing attached to office)

188	50 Gallon Barrel Nalco Breaxit EC2010A Demulsifier
189	330 Gallon Tote Sandklene 950 Surface Washing Agent
190	330 Gallon Tote Sandklene 950 Surface Washing Agent
191	330 Gallon Tote Sandklene 950 Surface Washing Agent
192	330 Gallon Tote Sandklene 950 Surface Washing Agent
193	330 Gallon Tote Sandklene 950 Surface Washing Agent
194	330 Gallon Tote Sandklene 950 Surface Washing Agent
195	330 Gallon Tote Sandklene 950 Surface Washing Agent
196	330 Gallon Tote Sandklene 950 Surface Washing Agent
197	330 Gallon Tote Sandklene 950 Surface Washing Agent
198	330 Gallon Tote Sandklene 950 Surface Washing Agent
199	330 Gallon Tote Sandklene 950 Surface Washing Agent
200	330 Gallon Tote Sandklene 950 Surface Washing Agent
201	330 Gallon Tote Sandklene 950 Surface Washing Agent
202	330 Gallon Tote Sandklene 950 Surface Washing Agent
203	330 Gallon Tote Sandklene 950 Surface Washing Agent
204	330 Gallon Tote Sandklene 950 Surface Washing Agent